


Engineering steel bush chains

This bush chain, with a reduced number of components, has proved to be particularly successful in high duty, high abrasion applications where lubrication is not possible. Our steel bush chains have been proving performance in mill duty centrifugal discharge elevators within the more difficult applications encountered in the Cement Industry.



	P	b1	d1	d2	h2	T	L	UTS(kN)	Wt(kg/m)
S188	66.27	25.6	22.4	12.78	30	6.4	68.6	111.3	1.72
S131	78.11	31.7	32.5	15.95	39.6	9.7	90.5	178	3.4
S102B	101.6	51.3	25.4	15.95	39.6	9.7	111.3	178	3.13
S102-1/2	102.62	57.15	35.05	19.05	44.45	9.65	120.65	222.5	4.26
S111	120.9	63.2	36.6	19.13	52.3	9.7	131.2	222.5	4.63
S111SP	120.9	66.8	36.58	19.05	50.8	9.65	128.52	222.5	3.99
S110	152.4	51.3	32.5	15.95	39.6	9.7	111.3	178	2.86
4856	152.4	76.2	44.45	25.4	63.5	12.7	155.7	645.3	7.48
4857	152.4	76.2	44.45	25.4	82.55	12.7	155.7	778.8	9.53
4859	152.4	95.25	60.45	31.75	101.6	16	187.45	1,223.80	15.42
S150	153.67	80	44.7	25.48	66.6	12.7	164.3	378	-
4864	177.8	95.25	60.45	31.75	101.6	16	187.45	1,223.80	14.06

There are kinds of attachments for engineering steel bush chains:
A1,K1,A2,K2,A22,K3,K35,K44,ETC.